



Review Article

www.ijrap.net

(ISSN Online:2229-3566, ISSN Print:2277-4343)



ANTIMICROBIAL ACTIVITY OF TURMERIC: A SYSTEMATIC REVIEW

Arti Jain¹, Sourabh Jain², Hirdesh Kumari Gupta³, Abhishek Mehta^{4*}

¹ Associate Professor, Department of Microbiology, Atal Bihari Vajpayee Govt. Medical College, Vidisha, Madhya Pradesh, India

² Associate Professor Department of Anaesthesiology, People's College of Medical Sciences and Research Centre, Bhopal, Madhya Pradesh, India

³ Demonstrator, Department of Microbiology, Govt. Medical College, Datia, Madhya Pradesh, India

⁴ Associate Professor, Department of Microbiology, Govt. Medical College, Datia, Madhya Pradesh, India

Received on: 13/11/22 Accepted on: 19/12/22

*Corresponding author

E-mail: abhishekmehta623@gmail.com

DOI: 10.7897/2277-4343.140127

ABSTRACT

Turmeric, or *Curcuma longa*, is a popular healing herb in Ayurvedic medicine. Due to its potential health benefits, including antimicrobial properties, it is being used in herbal medicines to treat several systemic diseases, especially in the Indian subcontinent. In this review, we have given an up-to-date overview of the anti-infective properties of the turmeric plant, with a particular focus on its antibacterial activity. Published articles relevant to the research questions were searched in their database (PubMed, Scopus, Web of Science). Additionally, studies were searched through snowballing. The articles were included as per eligibility for data extraction. The included articles were assessed on quality reporting, and results were presented using descriptive analysis. This literature review aimed to illustrate the therapeutic properties of the plant "*Curcuma longa*". A total of 32 publications out of 671 articles were selected through online and snowballing literature searches. Of these 32 articles, 22 were original research articles, and 9 were systematic reviews after removing the duplicates and non-eligible studies. Most of the original articles analysed were from India. In view of rapidly emerging antimicrobial resistance amongst the prevailing pathogens, the present study highlights the need to explore alternate preventive and treatment strategies that are safe, effective, and economical compared to existing methods. There is immense scope of such studies focused on the possibilities of mining the antimicrobial potential of bioactive phytochemicals derived from herbal sources like turmeric.

Keywords: Turmeric, *Curcuma longa*, Plant extract, Antimicrobial, Antibacterial, Antifungal.

INTRODUCTION

Turmeric (curcumin), a yellow-coloured molecule derived from the rhizome of *Curcuma longa*, has been identified as the bioactive compound responsible for numerous pharmacological activities of turmeric, including anticancer, antimicrobial, anti-inflammatory, antioxidant, antidiabetic, etc.¹

In many different forms, curcumin is known and used for many health benefits. In India, turmeric is being used as a spice in curries; as a tea ingredient in Japan; in cosmetics in Thailand; as a colourant in China; in drinks in Korea; as an antiseptic in Malaysia; as an anti-inflammatory agent in Pakistan; and, as a food preservative and an edible colouring agent in the US. Curcumin is available as herbal medicine in several formulations like capsules, tablets, and ointments and as an ingredient in herbal drinks, toiletries, and cosmetics.²

US FDA has included curcuminoids in the 'Generally Recognized as Safe (GRAS) category, as clinical trials have shown good tolerability, even at relatively high doses ranging from 4000 to 8000 mg/day of the curcuminoids like curcumin, bisdemethoxycurcumin, and demethoxycurcumin even at 95% concentration.^{3,4}

In traditional Indian and Chinese medications, the turmeric plant, *Curcuma longa* Linn., has been widely used owing to its therapeutic magnitude.⁵

One of the major bioactive components of turmeric's rhizome extract is curcumin, a natural polyphenol product extracted from *C. longa*. Significantly, this natural polyphenol is commonly called the "wonder drug of life".^{6,7}

Curcumin has been used in various forms for centuries around the world for a variety of potential health benefits, as well as a food-colouring agent.⁸

Chemically, curcumin is known as 1,7-bis (4-hydroxy-3-methoxyphenyl) hepta- 1,6-diene- 3,5-dione or, precisely, diferuloylmethane hydroxy-3-methoxyphenyl) hepta-1,6-diene-3,5-dione or, precisely, diferuloylmethane.⁹

The medicinal usage of curcumin was started more than 2500 years ago in Asia, especially by the native population of India. In the scientific community, the therapeutic use of curcumin was first reported to be against chronic cholecystitis and allied diseases in 1937. To date, there are more than 8000 studies/articles available in the PubMed database demonstrating the various biological properties of curcumin, such as antioxidant, antibacterial, antifungal, antiviral, anti-inflammatory, anticancer, antiproliferative, proapoptotic and anti-atherosclerotic effects, and its medicinal benefits against various forms of human illnesses, including neurodegenerative diseases, arthritis, allergy, inflammatory bowel disease, nephrotoxicity, diabetes, multiple sclerosis, cardiovascular disease, lung fibrosis.^{10,11}

In recent decades, nanomedicine has been rising as a promising field. Nanoscale bioactive structures have shown increased physical and chemical properties and thus are utilized in numerous diagnostic and therapeutic applications.¹⁰

Due to the hydrophobic nature of curcumin, its modification to nanoform has shown increased therapeutic efficiency, bioavailability, and stability. The most common forms of curcumin nanoformulations include nanoparticles, nanoencapsulation, micelles, and liposomes.¹²

Curcumin nanoencapsulation and nanocrystals have demonstrated antimicrobial activity against several Gram-positive and Gram-negative pathogens, including *Staphylococcus aureus*, *Escherichia coli*, *Pseudomonas aeruginosa*, *Listeria monocytogenes*, *Staphylococcus epidermidis*, etc.¹³⁻¹⁵

Similarly, the nano gel form of curcumin has been used as a topical antimicrobial for wound burns.¹⁸ It is not only limited to antibacterial activity; it possesses a broad spectrum of antimicrobial activity when formulated using nanotechnology, by which it can act against fungi, parasites, and viruses.¹⁷⁻¹⁹

In this review, we have given an up-to-date overview of the anti-infective properties of the turmeric plant, with a particular focus on its antibacterial activity.



Figure 1: Turmeric (*Curcuma longa*)

This systematic review was prepared following the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) guidelines.²⁰

Search strategy

An initial search with predefined keywords was performed, and a detailed search strategy was developed later. We searched Medline/PubMed, Scopus, Google Scholar, EMBASE, and Cochrane databases for eligible original reports. Articles published between Jan 2005 to Dec 2021 were included for assessment in this systematic review (most articles were chosen from the last 15 years). Bibliographical references of potentially related articles were checked and searched for additional articles.

Study Selection

Two reviewers independently screened the retrieved titles and abstracts of articles for relevance after duplicates were removed. The third reviewer performed a full-text screening. The articles were excluded after the mutual consensus of the reviewers. Any differences were resolved through discussion with a fourth reviewer. Final eligible articles were selected for data extraction.

Data extraction: Data were extracted in standardized Microsoft excel format. All authors reviewed and verified the data. Discrepancies were rectified through in-depth discussions and revisiting the full text of case reports if needed. Articles were estimated and summarized descriptively.

Search results and Study characteristics: A total of 32 publications out of 671 articles were selected through online and snowballing literature searches. Of these 32 articles, 21 were original research articles, and 8 were systematic reviews after removing the duplicates and non-eligible studies. Most of the original articles analysed were from India, followed by Saudi Arabia.

Antimicrobial properties

Bacterial infections are among the critical infectious diseases. Hence, over 50 years of extensive research have been launched for achieving new antimicrobial medicines isolated from different sources. Despite progress in the development of antibacterial agents, there is still a particular need to find new antibacterial agents due to the development of multidrug-resistant bacteria.²¹

Niamsa and Sittiwet *et al.* in their study showed an antibacterial study on an aqueous extract of *C. longa* rhizome demonstrating the MIC (minimum inhibitory concentration) value of 4 to 16 g/L and MBC (minimum bactericidal concentration) value of 16 to 32 g/L against *Staphylococcus epidermidis* ATCC 12228, *S.aureus* ATCC 25923, *Klebsiella pneumoniae* ATCC 10031, and *E. coli* ATCC 25922.²²

Ungphaiboon and Supavita *et al.* did a similar study, wherein the methanol extract of turmeric revealed MIC values of 16 µg/mL and 128 µg/mL against *Bacillus subtilis* and *S. aureus*, respectively.²³

In another study conducted by De and Kundu *et al.*, curcumin showed significant antibacterial activity with MIC values between 5 and 50 µg/mL against 65 clinical isolates of *Helicobacter pylori*.²⁴

In contrast to it, in one *in vivo* study done by Koosirirat *et al.*, the antibacterial effect of curcumin on *H. pylori* compared to OAM (Omeprazole, Amoxicillin, and Metronidazole) treatment revealed poor activity for eradication of *H. pylori* (5.9% versus 78.9% for OAM treatment).²⁵

Mun and Joung *et al.* in their study reported that curcumin also demonstrated a synergistic effect in combination with some antibiotics, including ampicillin, oxacillin, and norfloxacin, against methicillin-resistant *S. aureus* strain (MRSA).²⁶

Another study conducted by Varaprasad *et al.* revealed that the fabrication of silver nanocomposite films impregnated with curcumin showed more robust antibacterial activity against *E. coli*.²⁷

Among the indoor microbial contaminations of several industries, the textile industry is more susceptible to the growth of pathogenic organisms. Factors such as large surface area, moisture content, etc., provide a favourable environment for microbial colonization, which often leads to deterioration in the quality of the fabric and an unpleasant odour that affects the product and those who wear it.²⁸

To overcome these shortcomings, a variety of novel approaches have been implemented. One such is using natural ingredients as antimicrobial agents as a final glaze for fabrics. Curcumin is commonly used for this purpose due to its dual function, natural dye and antimicrobial properties. Numerous studies have reported that wool fabric treated with curcumin exhibits increased antimicrobial activity even after prolonged wash cycles.²⁹

Several investigations have described the proficiency of curcumin in antimicrobial wound dressing applications as well.³⁰⁻³²

CONCLUSION

From time and again, various studies conducted globally in diverse backgrounds have reported that the different crude extracts derived from the rhizome of *Curcuma longa*, popularly known as turmeric in the Indian subcontinent, have exhibited remarkably significant antimicrobial activity esp. against the common bacterial and fungal pathogens. Reviewing some of the relevant studies, we tried to explore the hidden herbal treasure of folklore medicines. Our findings indicate an immense potential of the exploratory studies for deriving the bioactive phytochemicals from the turmeric extracts, which could be utilized at least partially in developing and delivering pharmaceutical products which could be used either as an alternative to conventional antimicrobial therapy or synergistically as an adjuvant along with the standard antimicrobials. This strategy could help tackle the growing menace of the rapidly emerging multidrug resistance amongst the pathogens, wherein most antibiotics will be rendered ineffective, paving the way for a new group of herbal antimicrobials.

REFERENCES

- Sohn SI, Priya A, Balasubramaniam B, Muthuramalingam P, Sivasankar C, Selvaraj A, et al. Biomedical Applications and Bioavailability of Curcumin: An Updated Overview. *Pharmaceutics* 2021; 13: 2102. DOI:https://doi.org/10.3390/pharmaceutics13122102.
- Gupta SC, Patchva S, Aggarwal BB. Therapeutic Roles of Curcumin: Lessons Learned from Clinical Trials. *The AAPS Journal* 2013; 15:195-218.
- Basnet P, Skalko-Basnet N. Curcumin: An anti-inflammatory molecule from a curry spice on the path to cancer treatment. *Molecules* 2011; 16: 4567-98.
- Lao CD, Ruffin MT, Normolle D, Heath DD, Murray SI, Bailey JM, et al. Dose escalation of a curcuminoid formulation. *BMC Complement. Altern Med.* 2006; 6:10. DOI: 10.1186/1472-6882-6-10.
- Hsu CH, Cheng AL. Clinical studies with curcumin. *Adv Exp Med Biol* 2007; 595:471-80. DOI: 10.1007/978-0-387-46401-5_21.
- Sharma R, Gescher A, Steward W. Curcumin: The story so far. *Eur J Cancer* 2005; 41: 1955-68.
- Gera M, Sharma N, Ghosh M, Huynh DL, Lee SJ, Min T, et al. Nanoformulations of curcumin: An emerging paradigm for improved remedial application. *Oncotarget* 2017; 8: 66680-98.
- Gupta SC, Patchva S, Koh W, Aggarwal BB. Discovery of curcumin, a component of golden spice, and its miraculous biological activities. *Clin Exp Pharmacol Physiol* 2012; 39 (3): 283-99. DOI: 10.1111/j.1440-1681.2011.05648.x.
- Sharma R, Gescher A, Steward W. Curcumin: The story so far. *Eur J Cancer* 2005; 41: 1955-68.
- Karthikeyan A, Senthil N, Min T. Nanocurcumin: A Promising Candidate for Therapeutic Applications. *Front Pharmacol* 2020; 11:487.
- Menon VP, Sudheer AR. Antioxidant and anti-inflammatory properties of curcumin. *Adv Exp Med Biol* 2007;595:105-25. DOI: 10.1007/978-0-387-46401-5_3.
- Daina A., Michielin O, Zoete V. SwissADME: a free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. *Sci Rep* 2017; 7: 42717. DOI:https://doi.org/10.1038/srep42717
- Hatamie S, Nouri M, Karandikar S, Kulkarni A, Dhole S, Phase D, et al. Complexes of cobalt nanoparticles and polyfunctional curcumin as antimicrobial agents. *Mater Sci Eng C* 2012; 32: 92-97.
- Krausz AE, Adler BL, Cabral V, Navati M, Doerner J, Charafeddine RA, et al. Curcumin-encapsulated nanoparticles as innovative antimicrobial and wound healing agent. *Nanomed Nanotechnol Biol Med* 2015; 11: 195-206.
- Shlar I, Poverenov E, Vinokur Y, Horev B, Droby S, Rodov V. High-Throughput Screening of Nanoparticle-Stabilizing Ligands: Application to Preparing Antimicrobial Curcumin Nanoparticles by Antisolvent Precipitation. *Nano-Micro Lett* 2014; 7: 68-79.
- Aghamoosa M, Arbabi-Bidgoli S, Ghafari S, Sabokbar A, Harzandi N. Preclinical Evaluation of Silver-Curcumin Nanogel: A complete assessment on a new topical antimicrobial product for a burn. *J Nanoanal* 2020; 7: 62-72.
- Martins CVB, Da Silva DL, Neres ATM, Magalhaes TFF, Watanabe GA, Modolo L, et al. Curcumin as a promising antifungal of clinical interest. *J Antimicrob Chemother.* 2008; 63: 337-9.
- Cheraghypour K, Marzban A, Ezatpour B, Khanizadeh S, Koshki J. Antiparasitic properties of curcumin: A review. *AIMS Agric Food* 2018; 4: 1-18.
- Mathew D, Hsu WL. Antiviral potential of curcumin. *J Funct Foods* 2017;40: 692-99.
- Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021; 372: n71. DOI:10.1136/BMJ.n7.
- Wise R, Hart T, Cars O, et al. Antimicrobial resistance is a major threat to public health. *British Medical Journal* 1998; 317(7159): 609-10. DOI: 10.1136/bmj.317.7159.609.
- Niamsa N, Sittiwet C. Antimicrobial activity of *Curcuma longa* aqueous extract. *Journal of Pharmacology and Toxicology* 2009; 4 (4): 173-177.
- Ungphaiboon S, Supavita T, Singchangchai P, Sungkarak S, Rattanasuwan P, Itharat A. Study on antioxidant and antimicrobial activities of turmeric clear liquid soap for wound treatment of HIV patients. *Songklanakarin Journal of Science and Technology* 2005; 27(2): 269-78.
- De R, Kundu P, Swarnakar S, et al. Antimicrobial activity of curcumin against *Helicobacter pylori* isolates from India and during infections in mice. *Antimicrobial Agents and Chemotherapy* 2009; 53(4): 1592-97.
- Koosirirat C, Linpisarn S, Changsom D, Chawansuntati K, Wipasa J. Investigation of the anti-inflammatory effect of *Curcuma longa* in *Helicobacter pylori* infected patients. *International Immunopharmacology* 2010; 10 (7): 815-818.
- Mun SH, Joung DK, Kim YS, et al. Synergistic antibacterial effect of curcumin against methicillin-resistant *Staphylococcus aureus*. *Phytotherapy Research* 2013; 19 (7): 599-604.
- Varaprasad K, Mohan YM, Vimala K, Mohana RK. Synthesis and characterization of hydrogel-silver nanoparticle curcumin composites for wound dressing and antibacterial application. *Journal of Applied Polymer Science* 2011; 121(2): 784-96.
- Reshma A, Priyadarisini V, Amutha K. Sustainable antimicrobial finishing of fabrics using natural bioactive agents-A review. *Int J Life Sci Pharma Res* 2018; 8: 10-20.
- Han S, Yang Y. Antimicrobial activity of wool fabric treated with curcumin. *Dye Pigment* 2005; 64: 157-161.
- Reddy N, Han S, Zhao Y, Yang Y. Antimicrobial activity of cotton fabrics treated with curcumin. *J Appl Polym Sci* 2012; 127: 2698-702.
- Kumari A, Singh DK, Dash D, Singh R. Intranasal curcumin protects against LPS-induced airway remodelling by modulating toll-like receptor-4 (TLR-4) and matrix metalloproteinase-9 (MMP-9) expression by affecting MAP kinases in a mouse model. *Inflammo pharmacology* 2018; 27: 731-48.

32. Varaprasad K, Vimala K, Ravindra S, Reddy NN, Reddy GVS, Raju KM. Fabrication of silver nanocomposite films impregnated with curcumin for superior antibacterial applications. *J Mater Sci Mater Med* 2011; 22: 1863-72

Cite this article as:

Arti Jain, Sourabh Jain, Hirdesh Kumari Gupta and Abhishek Mehta. Antimicrobial activity of Turmeric: A Systematic Review. *Int. J. Res. Ayurveda Pharm.* 2023;14(1):107-110
DOI: <http://dx.doi.org/10.7897/2277-4343.140127>

Source of support: Nil, Conflict of interest: None Declared

Disclaimer: IJRAP is solely owned by Moksha Publishing House - A non-profit publishing house, dedicated to publishing quality research, while every effort has been taken to verify the accuracy of the content published in our Journal. IJRAP cannot accept any responsibility or liability for the site content and articles published. The views expressed in articles by our contributing authors are not necessarily those of IJRAP editor or editorial board members.